



Smith & Wesson

Handguns

Smith & Wesson

... a standard of handgun excellence since 1852.

Smith & Wesson handguns are made with uncompromising dedication and pride. They've been made that way since the time that Horace Smith and D. B. Wesson formed their partnership in 1852.

Through more than a century and a quarter, Smith & Wesson has earned a unique position in the gun world. With pioneering innovations like the .357 Magnum and stainless steel handguns. And with unmatched quality.

From fine raw steel and carefully selected hardwoods to the finished product in the famous blue box, Smith & Wesson's integrated production facility provides unequalled control of the manufacturing process. Dedicated fitters painstakingly mate parts to insure every gun measures up to S&W's worldwide reputation for dependability. Final inspection covers literally dozens of individual characteristics.

The result is uniquely Smith & Wesson. A line of revolvers and semiautomatic pistols to meet virtually every need of discriminating law enforcement agencies and sportsmen. And perhaps the world's most sought after handguns.

Smith & Wesson Frames

Literally the backbone of these fine handguns, Smith & Wesson frames, including the top strap and grip area, are machined from a single, strong S&W forging. S&W revolvers are made on three frame sizes, J, K and N.

J Frame Revolvers

Revolvers built on the J Frame, S&W's smallest, are lightweight, compact, comfortable and easy to carry. Smith & Wesson J Frame revolvers are unique among small frame guns in their ability to stay in time—the cylinder charge hole always lines up properly with the barrel. Stop notches are located between the chambers to provide maximum strength in the smaller cylinders used with the J Frame. Smith & Wesson J Frame revolvers offer the widest selection of stocks and trigger styles in small frame guns.

K Frame Revolvers

Today's most preferred law enforcement duty revolvers are built on Smith & Wesson's medium size K Frame.

Smith & Wesson offers revolvers in .22, .22 Magnum, .38 Special and .357 Magnum calibers, in a variety of barrel

lengths, on the highly versatile K Frame. K Frame revolvers provide an unmatched variety of hammers, sights and trigger styles.

Smith & Wesson introduced stainless steel handguns in the K Frame as well as the J Frame. Today, in addition to the widest selection of stainless steel models, S&W is the

only manufacturer to offer blue stainless steel adjustable rear sights.

N Frame Revolvers

Smith & Wesson's largest revolvers, favorites of sportsmen for handgun hunting and competitive shooting, are built on the N Frame. The N Frame, too, provides the shooter with unmatched versatility in stocks, trigger styles and hammers as well as a choice of revolvers in .38/.357 Magnum, .41 Magnum, .44 Magnum and .45 calibers in a variety of barrel lengths.

Semiautomatic Pistols

Smith & Wesson offers shooters four semiautomatic pistols providing a wide variety of autoloading handguns to meet the needs of law enforcement, competitive shooters and sportsmen. For law enforcement, Smith & Wesson developed the Model 39, America's first successful double action autoloading pistol, as well as the Model 59, a companion gun having the large 14 round magazine capacity.

In the Model 41 and Model 52, Smith & Wesson has built the most accurate out-of-the-box target pistols in the world.

The sights on all Smith & Wesson autos are on a solid plane to provide the shooter with consistently stable sight alignment.



Exclusive quality features:

Removable, precision-fitted side plate allows qualified personnel to function the action while examining interacting parts.

The unmatched S&W bright blue finish is achieved by the combination of expert polishing and a unique, more than 100 year old, special dry oven bluing process. Lustrous nickel and weather-resistant stainless steel finishes are also available.

Case hardened contact surfaces on hammers and triggers assure smooth, consistent trigger pull for the life of the gun.

Cylinder release thumb piece moves forward for easy, one hand operation.

Hardened bearing area minimizes wear in cylinder lock, assures proper alignment between cylinder and barrel.

Interface of the hammer seat and rebound slide seat is a primary safety feature.

S&W's internal hammer block is not subject to fouling by foreign material — an important secondary safety feature.

S&W's smooth, fast double action is provided by a balanced design of rebound, trigger and main spring tensions coordinated with a fast, spring-operated cylinder stop.


The hammer cannot be cocked while the cylinder is swung out (without first manually pulling the cylinder release rearward).

Forward cylinder lock works in conjunction with rear cylinder lock to maintain positive alignment of cylinder and barrel.


Contents

Revolvers	Page
Models 10, 10HB, 12, 13	2
Models 14, 15, 17	3
Models 18, 19, 25, 25-5	4
Models 27, 28, 29	5
Models 31, 34, 36, 37	6
Models 38, 48, 49, 57	7
Semiautomatic Pistols	
Models 39, 41, 41HB	8
Models 52, 59, 439, 459	9
Stainless Steel Revolvers	
Models 60, 63, 64	10
Models 65, 66, 67, 629	11
Accessories	12
Engraving	Back Cover

Revolvers




Model No. 10
.38 Military & Police



Model No. 10
.38 Military & Police
Heavy Barrel



Model No. 12
.38 Military & Police
Airweight®



Model No. 13
.357 Military & Police
Heavy Barrel

	Model No. 10 .38 Military & Police	Model No. 10 .38 Military & Police Heavy Barrel	Model No. 12 .38 Military & Police Airweight®	Model No. 13 .357 Military & Police Heavy Barrel
Frame:	K	K	KA	K
Caliber:	.38 S&W Special.	.38 S&W Special.	.38 S&W Special.	.357 Magnum and .38 S&W Special.
Capacity:	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	2", 4", 5" or 6" (5.1, 10.2, 12.7 or 15.2 cm)	4" (10.2 cm)	2" or 4" (5.1 or 10.2 cm)	4" (10.2 cm)
Length Overall:	7¼" (18.4 cm) w/2" barrel. 9¼" (23.5 cm) w/4" barrel. 10¼" (26.0 cm) w/5" barrel. 11¼" (28.6 cm) w/6" barrel.	9¼" (23.5 cm)	6⅞" (17.5 cm) w/2" barrel. 8⅞" (22.5 cm) w/4" barrel.	9¼" (23.5 cm)
Weight:	29 oz. (820 g) w/2" barrel. 30½ oz. (860 g) w/4" barrel. 31 oz. (880 g) w/5" barrel. 32 oz. (910 g) w/6" barrel.	34 oz. (960 g)	18 oz. (510 g) w/2" barrel. 19½ oz. (550 g) w/4" barrel.	34 oz. (960 g)
Sights; Front:	Fixed ⅛" (0.3 cm) serrated ramp.	⅛" (0.3 cm) serrated ramp.	Fixed ⅛" (0.3 cm) serrated ramp.	⅛" (0.3 cm) serrated ramp.
Rear:	Square notch.	Square notch.	Square notch.	Square notch.
Stocks:	Checked walnut P.C. Service with S&W monograms, round or square butt.	Checked walnut P.C. Service with S&W monograms, square butt.	Checked walnut P.C. Service with S&W monograms, round or square butt.	Checked walnut P.C. Service with S&W monograms, square butt.
Finish:	S&W Blue or Nickel.	S&W Blue or Nickel.	S&W Blue or Nickel.	S&W Blue or Nickel.

Note: P.C. (Plain Clothes) have rounded edges.


Revolvers



Model No. 14
K-38 Masterpiece



Model No. 17
K-22 Masterpiece



Model No. 15
Combat Masterpiece

	Model No. 14 K-38 Masterpiece	Model No. 15 Combat Masterpiece	Model No. 17 K-22 Masterpiece
Frame:	K	K	K
Caliber:	.38 S&W Special.	.38 S&W Special.	.22 Long Rifle.
Capacity:	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	6", 8 $\frac{3}{8}$ " (15.2, 21.3 cm)	2", 4" (5.1, 10.2 cm)	6", 8 $\frac{3}{8}$ " (15.2, 21.3 cm)
Length Overall:	11 $\frac{1}{8}$ " (28.3 cm) w/6" barrel. 13 $\frac{1}{2}$ " (34.3 cm) w/8 $\frac{3}{8}$ " barrel.	7 $\frac{1}{8}$ " (18.1 cm) w/2" barrel. 9 $\frac{1}{8}$ " (23.2 cm) w/4" barrel.	11 $\frac{1}{8}$ " (28.3 cm) w/6" barrel. 13 $\frac{1}{2}$ " (34.3 cm) w/8 $\frac{3}{8}$ " barrel.
Weight:	38 $\frac{1}{2}$ oz. (1090 g) w/6" barrel. 42 $\frac{1}{2}$ oz. (1200 g) w/8 $\frac{3}{8}$ " barrel.	28 oz. (790 g) w/2" barrel. 34 oz. (960 g) w/4" barrel.	38 $\frac{1}{2}$ oz. (1090 g) w/6" barrel. 42 $\frac{1}{2}$ oz. (1200 g) w/8 $\frac{3}{8}$ " barrel.
Sights; Front:	1/8" (0.3 cm) plain Patridge.	1/8" (0.3 cm) Baughman Quick Draw on plain ramp.	1/8" (0.3 cm) plain Patridge.
Rear:	S&W Micrometer Click Sight, adjustable for windage and elevation.	S&W Micrometer Click Sight, adjustable for windage and elevation.	S&W Micrometer Click Sight, adjustable for windage and elevation.
Stocks:	Checked walnut Service with S&W monograms.	Checked walnut Service with S&W monograms.	Checked walnut Service with S&W monograms.
Finish:	S&W Blue.	S&W Blue or Nickel.	S&W Blue.

Revolvers



Model No. 25-5
.45 Colt



Model No. 19
.357 Combat Magnum*



Model No. 18
.22 Combat Masterpiece



Model No. 25
1955 .45 Target

	Model No. 18 .22 Combat Masterpiece	Model No. 19 .357 Combat Magnum®	Model No. 25 1955 .45 Target*	Model No. 25-5 .45 Colt*
Frame:	K	K	N	N
Caliber:	.22 Long Rifle.	.357 Magnum/.38 S&W Spec.	.45 A.C.P.	.45 Colt.
Capacity:	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	4" (10.2 cm)	2½" (round butt) 4", 6", (6.3, 10.2, 15.2 cm)	6" (15.2 cm)	4", 6", 8¾" (10.2, 15.2, 21.3 cm)
Length Overall:	9½" (23.2 cm)	7½" (19.0 cm) w/2½" barrel. 9½" (24.1 cm) w/4" barrel. 11½" (29.2 cm) w/6" barrel.	11¾" (28.9 cm)	9¾" (23.8 cm) w/4" barrel. 11¾" (28.9 cm) w/6" barrel. 13¾" (34.9 cm) w/8¾" barrel.
Weight:	36½ oz. (1030 g)	31 oz. (880 g) w/2½" barrel. 35 oz. (990 g) w/4" barrel. 40 oz. (1130 g) w/6" barrel.	45 oz. (1280 g)	44 oz. (1243 g) w/4" barrel. 46 oz. (1297 g) w/6" barrel. 52 oz. (1466 g) w/8¾" barrel.
Sights; Front:	⅛" (0.3 cm) Baughman Quick Draw on plain ramp.	⅛" (0.3 cm) Baughman Quick Draw on 2½", 4" barrel, ⅛" (0.3 cm) Patridge on 6" barrel.	⅛" (0.3 cm) plain Patridge.	⅛" (0.3 cm) S&W Red Ramp.
Rear:	S&W Micrometer Click Sight, adj. for windage and elevation.	S&W Micrometer Click Sight, adj. for windage and elevation.	S&W Micrometer Click Sight, adj. for windage and elevation.	Sight same as Model No. 25 with White Outline notch.
Stocks:	Checked walnut Service with S&W monograms.	Checked Goncalo Alves Target w/speed loader cut, S&W monograms for 4" and 6" barrel, round butt Service stocks for 2½" barrel.	Checked Goncalo Alves Target with S&W monogram.	Checked Goncalo Alves Target with S&W monogram.
Finish:	S&W Blue.	S&W Bright Blue or Nickel.	S&W Blue. Presentation Case.	S&W Bright Blue

*With checked target type hammer and grooved target type trigger.

Revolvers



Model No. 28
.357 Highway Patrolman®



Model No. 29
.44 Magnum®

Model No. 27
.357 Magnum®

Note: Effective November, 1979, Model No. 25 will be available with 6" barrel only, Model No. 27 and Model No. 29 with 4", 6" and 8 3/8" barrels only.

	Model No. 27 .357 Magnum®	Model No. 28 .357 Highway Patrolman®	Model No. 29 .44 Magnum®*
Frame:	N	N	N
Caliber:	.357 Magnum and .38 S&W Special.	.357 Magnum and .38 S&W Special.	.44 Magnum.
Capacity:	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	4", 6", 8 3/8" (10.2, 15.2, 21.3 cm)	4", 6" (10.2, 15.2 cm)	4", 6", 8 3/8" (10.2, 15.2, 21.3 cm)
Length:	9 1/4" (23.5 cm) w/4" barrel.	9 1/4" (23.5 cm) w/4" barrel.	9 5/8" (24.5 cm) w/4" barrel.
Overall:	11 1/4" (28.6 cm) w/6" barrel. 13 3/8" (34.6 cm) w/8 3/8" barrel.	11 1/4" (28.6 cm) w/6" barrel.	11 3/8" (28.9 cm) w/6" barrel. 14 1/4" (36.2 cm) w/8 3/8" barrel.
Weight:	41 1/4 oz. (1170 g) w/4" barrel. 44 oz. (1250 g) w/6" barrel. 47 oz. (1330 g) w/8 3/8" barrel.	41 3/4 oz. (1180 g) w/4" barrel. 44 oz. (1250 g) w/6" barrel.	43 oz. (1220 g) w/4" barrel. 44 oz. (1250 g) w/6" barrel. 51 1/2 oz. (1460 g) w/8 3/8" barrel.
Sights; Front:	Choice of any S&W target sight.	1/8" (0.3 cm) Baughman Quick Draw on plain ramp.	1/8" (0.3 cm) S&W Red Ramp.
Rear:	S&W Micrometer Click Sight, adjustable for windage and elevation.	S&W Micrometer Click Sight, adjustable for windage and elevation.	S&W Micrometer Click Sight, adjustable for windage and elevation. White Outline notch.
Stocks:	Checked Goncalo Alves Target with S&W monogram.	Checked walnut Service with S&W monograms (Walnut Target stocks at additional cost).	Special oversize Target type of checked Goncalo Alves, with S&W monograms.
Finish:	S&W Bright Blue or Nickel. Finely checked top strap and barrel rib.	S&W Satin Blue with sandblast stippling on barrel rib and frame edging.	S&W Bright Blue or Nickel. Presentation Case included.

*With checked target type hammer and grooved target type trigger.

Revolvers



Model No. 31
.32 Regulation Police



Model No. 36
.38 Chiefs Special



Model No. 34
1953 .22/.32 Kit Gun®

	Model No. 31 .32 Regulation Police	Model No. 34 1953 .22/.32 Kit Gun®	Model No. 36* .38 Chiefs Special
Frame:	J	J	J
Caliber:	.32 S&W Long.	.22 Long Rifle.	.38 S&W Special.
Capacity:	6 shot cylinder.	6 shot cylinder.	5 shot cylinder.
Barrel:	2", 3" (5.1, 7.6 cm)	2", 4" (5.1, 10.2 cm)	2", 3" (5.1, 7.6 cm)
Length Overall:	6½" (16.5 cm) w/2" barrel. 7½" (19.0 cm) w/3" barrel.	6" (15.3 cm) w/2" barrel and round butt. 8" (20.3 cm) w/4" barrel and round butt.	6½" (16.5 cm) w/2" barrel and round butt. 7½" (19.0 cm) w/3" barrel and round butt.
Weight:	20 oz. (570 g) w/2" barrel. 22 oz. (620 g) w/3" barrel.	22½ oz. (640 g) w/2" barrel. 24¼ oz. (690 g) w/4" barrel.	19 oz. (540 g) w/2" barrel. 22 oz. (620 g) w/3" barrel.
Sights; Front:	Fixed, 1/10" (0.25 cm) serrated ramp.	Fixed, 1/10" (0.25 cm) serrated ramp.	Fixed, 1/10" (0.25 cm) serrated ramp.
Rear:	Square notch.	S&W Micrometer Click Sight, adjustable for windage and elevation.	Square notch.
Stocks:	Checked walnut Service with S&W monograms.	Checked walnut Service with S&W monograms, round or square butt.	Checked walnut Service with S&W monograms, round or square butt.
Finish:	S&W Blue or Nickel.	S&W Blue or Nickel.	S&W Blue or Nickel.

* Model No. 37: JA Frame. Weight 14 oz. (397 g). All other specs same as Model 36.

Revolvers



Model No. 48
K-22 Masterpiece, M.R.F.



Model No. 57
.41 Magnum®



Model No. 38
.38 Bodyguard Airweight®

	Model No. 38* .38 Bodyguard Airweight®	Model No. 48 K-22 Masterpiece, M.R.F.	Model No. 57 .41 Magnum®
Frame:	JA	K	N
Caliber:	.38 S&W Special.	.22 Magnum Rim Fire.	.41 Magnum.
Capacity:	5 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	2" (5.1 cm)	4", 6", 8 $\frac{3}{8}$ " (10.2, 15.2, 21.3 cm)	4", 6", 8 $\frac{3}{8}$ " (10.2, 15.2, 21.3 cm)
Length Overall:	6 $\frac{3}{8}$ " (16.2 cm)	9 $\frac{1}{8}$ " (23.2 cm) w/4" barrel. 11 $\frac{1}{8}$ " (28.3 cm) w/6" barrel. 13 $\frac{1}{2}$ " (34.3 cm) w/8 $\frac{3}{8}$ " barrel.	9 $\frac{3}{8}$ " (23.8 cm) w/4" barrel. 11 $\frac{3}{8}$ " (28.9 cm) w/6" barrel. 13 $\frac{3}{4}$ " (34.9 cm) w/8 $\frac{3}{8}$ " barrel.
Weight:	14 $\frac{1}{2}$ oz. (410 g)	36 oz. (1020 g) w/4" barrel. 39 oz. (1110 g) w/6" barrel. 43 oz. (1220 g) w/8 $\frac{3}{8}$ " barrel.	46 oz. (1300 g) w/4" barrel. 48 oz. (1360 g) w/6" barrel. 54 oz. (1530 g) w/8 $\frac{3}{8}$ " barrel.
Sights; Front:	Fixed, $\frac{1}{10}$ " (0.25 cm)	$\frac{1}{8}$ " (0.3 cm) Baughman Quick Draw on 4" barrel, $\frac{1}{8}$ " Patridge on 6" and 8 $\frac{3}{8}$ " barrel.	$\frac{1}{8}$ " (0.3 cm) S&W Red Ramp.
Rear:	Square notch.	S&W Micrometer Click Sight, adjustable for windage and elevation.	S&W Micrometer Click Sight, adjustable for windage and elevation. White Outline notch.
Stocks:	Checked walnut Service with S&W monograms.	Checked walnut Service with S&W monograms.	Special oversize Target type of checked Goncalo Alves, with S&W monograms.
Hammer:			Checked target type.
Finish:	S&W Blue or Nickel.	S&W Blue. Auxiliary Cylinder available in .22 L.R.	S&W Bright Blue or Nickel. Presentation Case Included.

*Model No. 49: J Frame. Weight 20 $\frac{1}{2}$ oz. (580 g). All other specs, same as Model 38.

Semiautomatic Pistols



Model No. 41
.22 Autoloading Pistol
(5½-inch Heavy Barrel)



Model No. 39
9mm Autoloading Pistol
(Double Action)



Model No. 41
.22 Autoloading Pistol

	Model No. 39 9mm Autoloading Pistol (Double Action)	Model No. 41 .22 Autoloading Pistol*	Model No. 41 .22 Autoloading Pistol (5½" Heavy Barrel)
Caliber:	9mm Luger and Parabellum.	.22 Long Rifle.	.22 Long Rifle.
Magazine:	Two eight-round magazines furnished.	One ten-round magazine furnished.	One ten-round magazine furnished.
Barrel:	4" (10.2 cm).	7" (17.8 cm)	5½" (14.0 cm).
Length Overall:	7 ⁷ / ₁₆ " (18.9 cm).	10½" (26.7 cm)	9" (22.9 cm).
Sight Radius:	5¾" (14.6 cm).	9 ⁵ / ₁₆ " (23.7 cm)	8" (20.3 cm).
Weight:	26½ oz. (750 g).	42 oz. (1190 g.)	44½ oz. (1260 g).
Sights; Front:	⅛" (0.3 cm) serrated ramp.	⅛" (0.3 cm) Patridge undercut.	⅛" (0.3 cm) Patridge undercut on ramp base.
Rear:	Square notch with Micrometer Click adjustment for windage only.	S&W Micrometer Click Sight, adjustable for windage and elevation.	New S&W Micrometer Click Sight with wide ⅞" (2.2 cm) sight slide.
Stocks:	Checked walnut with S&W monograms.	Checked walnut with modified thumb rest, equally adaptable to right- or left-handed shooters.	Checked walnut with modified thumb rest, equally adaptable to right- or left-handed shooters.
Finish:	S&W Blue or Nickel.	S&W Bright Blue.	S&W Bright Blue.
Trigger:		⅜" (0.95 cm) width, with S&W grooving and an adjustable trigger stop.	⅜" (0.95 cm) width, with S&W grooving and an adjustable trigger stop.

*With detachable muzzle break.

Semiautomatic Pistols



Model No. 59
9mm-14 Shot Autoloading Pistol



Model No. 52
.38 Master



Model No. 439
9mm Autoloading Pistol



Model No. 459
9mm-14 Shot Autoloading Pistol


	Model No. 52 .38 Master	Model No. 59 9mm-14 Shot Autoloading Pistol	Model No. 439 9mm Autoloading Pistol	Model No. 459 9mm-14 shot Autoloading Pistol
Caliber:	.38 S&W Special Mid Range Wadcutter.	9mm Luger and Parabellum.	9mm Luger and Parabellum.	9mm Luger and Parabellum.
Magazine:	Two five-round magazines furnished.	Two fourteen-round magazines furnished.	Two eight-round magazines furnished.	Two fourteen-round magazines furnished.
Barrel:	5" (12.7 cm).	4" (10.2 cm).	4" (10.2 cm).	4" (10.2 cm).
Length Overall:	8 ⁵ / ₁₆ " (21.9 cm).	7 ⁷ / ₁₆ " (18.9 cm).	7 ⁷ / ₁₆ " (18.9 cm).	7 ⁷ / ₁₆ " (18.9 cm).
Sight Radius:	6 ¹⁵ / ₁₆ " (17.6 cm).	5 ³ / ₄ " (14.6 cm).	5 ³ / ₄ " (14.6 cm).	5 ³ / ₄ " (14.6 cm).
Weight:	41 oz. (1160 g).	27 oz. (770 g).	27 oz. (770 g).	28 oz. (793 g).
Sights; Front:	1 ¹ / ₈ " (0.3 cm) Patridge on ramp base.	1 ¹ / ₈ " (0.3 cm) serrated ramp.	1 ¹ / ₈ " serrated ramp.	1 ¹ / ₈ " serrated ramp.
Rear:	New S&W Micrometer Click Sight with wide 7 ¹ / ₈ " (2.2 cm) sight slide.	Square notch with Micrometer Click adjustment for windage only.	Square notch with micrometer click adjustable for windage and elevation.	Square notch with micrometer click adjustable for windage and elevation.
Stocks:	Checked walnut with S&W monograms.	Checked high impact molded nylon.	Checked walnut with S&W monograms.	Checked high-impact molded nylon.
Finish:	S&W Bright Blue w/sandblast stippling around sighting area to break up light reflection.	S&W Blue or Nickel.	S&W Blue or Nickel.	S&W Blue or Nickel.
Trigger:	3 ³ / ₈ " (0.95 cm) width, with S&W grooving and an adjustable trigger stop.			

Stainless Steel Revolvers



Model No. 60
.38 Chiefs Special
Stainless

Model No. 63
1977 .22/.32 Kit Gun®
Stainless



Model No. 64
.38 Military & Police Stainless
Heavy Barrel

	Model No. 60 .38 Chiefs Special Stainless	Model No. 63 1977 .22/.32 Kit Gun® Stainless	Model No. 64 .38 Military & Police Stainless Heavy Barrel
Frame:	J	J	K
Caliber:	.38 S&W Special.	.22 Long Rifle.	.38 S&W Special.
Capacity:	5 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	2" (5.1 cm).	4" (10.2 cm).	2" (5.1 cm) regular barrel, round butt. 4" (10.2 cm) heavy barrel, square butt.
Length Overall:	6½" (16.5 cm).	8" (20.3 cm).	6⅞" (17.5 cm) w/2" barrel. 9¼" (23.5 cm) w/4" barrel.
Weight:	19 oz. (540 g).	24¼ oz. (690 g).	29 oz. (820 g) w/2" barrel. 34 oz. (960 g) w/4" barrel.
Sights; Front:	Fixed, 1/10" (0.25 cm) serrated ramp.	Fixed, 1/8" (0.3 cm) Red Ramp on ramp base.	Fixed, 1/8" (0.3 cm) serrated ramp.
Rear:	Square notch.	S&W Micrometer Click Sight, adjustable for windage and elevation.	Square notch.
Stocks:	Checked walnut Service with S&W monograms.	Checked walnut Service with S&W monograms, square butt.	Checked walnut P.C. Service with S&W monograms. Square butt.
Finish:	Satin.	Satin.	Satin.

Stainless Steel Revolvers



Model No. 65
.357 Military & Police Stainless
Heavy Barrel

Model No. 67
.38 Combat Masterpiece
Stainless



Model No. 629
.44 Magnum®
Stainless

Model No. 66
.357 Combat Magnum®
Stainless


	Model No. 65 .357 Military & Police Stainless Heavy Barrel	Model No. 66 .357 Combat Magnum® Stainless	Model No. 67 .38 Combat Masterpiece Stainless	Model No. 629 .44 Magnum® Stainless*
Frame:	K	K	K	N
Caliber:	.357 Magnum/.38 S&W Spec.	.357 Magnum/.38 S&W Spec.	.38 S&W Special.	.44 Magnum
Capacity:	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.	6 shot cylinder.
Barrel:	4" (10.2 cm) heavy barrel.	2½" (6.3 cm) with round butt. 4" (10.2 cm) with square butt. 6" (15.3 cm) with square butt.	4" (10.2 cm).	6" (15.2 cm)
Length Overall:	9¼" (23.5 cm).	7½" (19.1 cm) w/2½" barrel. 9½" (24.1 cm) w/4" barrel. 11¾" (29.8 cm) w/6" barrel.	9⅞" (23.2 cm).	11⅜" (28.9 cm) w/6" barrel.
Weight:	34 oz. (960 g).	31 oz. (880 g) w/2½" barrel. 35 oz. (990 g) w/4" barrel. 40 oz. (1130 g) w/6" barrel.	34 oz. (960 g).	47 oz. (1325 g) w/6" barrel.
Sights; Front:	Fixed, ⅛" (0.3 cm) serrated ramp.	⅛" (0.3 cm) S&W Red Ramp on ramp base.	⅛" (0.3 cm) S&W Red Ramp on ramp base.	⅛" (0.3 cm) S&W Red Ramp
Rear:	Square notch.	Black Stainless Steel, S&W Micrometer Click Sight, adj. for windage and elevation.	Black Stainless Steel, S&W Micrometer Click Sight, adj. for windage and elevation.	S&W Micrometer Click Sight, adj. for windage and elevation. White Outline notch.
Stocks:	Checked walnut P.C. Service, with S&W monograms, square butt.	Checked Goncalo Alves Target w/speed loader cut, S&W monograms for 4", 6" barrel.**	Checked walnut Service with S&W monograms. Square butt.	Special oversize Target type of checked Goncalo Alves w/S&W monograms.
Finish:	Satin.	Satin.	Satin.	Satin. Presentation Case.

*With checked target type hammer and smooth target type trigger.

**Round butt service stocks for 2½" barrel.


Accessories

Smith & Wesson offers a wide range of accessories and factory installed options that enable the shooter to have his handgun tailored to his particular needs.



Target stocks for K (medium) or N (large) frame revolvers. Available in fancy Goncalo Alves, checked (shown left) or smooth (shown right) and in traditional checked walnut. All K frame target stocks will have speed loader cut.

K frame target stocks for use with "speed-loaders." Deeper relief on left stock permits extra clearance during speed loading and extraction operations.



Target Stocks

Longer, thicker and more hand filling, Smith & Wesson target stocks add more than good looks to your gun. They position the hand lower on the gun to provide a more precise alignment of the trigger finger to the trigger, while also allowing a straight back and down hammer pull in single action fire. And, by increasing the area of contact with the hand, minimize the effect of recoil.

All of the target stocks illustrated are available in traditional walnut with checkering. Most are also available in colorfully grained, imported Goncalo Alves, either smooth or with checkering. All have nickel finished S&W medallions.

Target Sights

This varied selection of target sights enables the shooter to have his K or N frame target model customized with the front and rear sights of his choice.

The following front sights are available* for large (N) and medium (K) frame target models with full length barrel rib:

- A. 1/8" (0.3 cm) Patridge blade on ramp base (or blade only)
- B. 1/8" (0.3 cm) Baughman Quick Draw blade on ramp base (or blade only)
- C. 1/8" (0.3 cm) S&W Red Ramp blade
- D. 1/8" (0.3 cm) S&W Red Post blade
- E. 1/8" (0.3 cm) McGivern Gold Bead on Patridge blade
- F. 1/8" (0.3 cm) Call Gold Bead on Patridge blade

Since gun and front sight configurations vary, the accompanying drawings are for illustrative purposes only.

The following rear target sights are available as separate accessory items, or for factory installation on large (N) or medium (K) frame target revolvers with full length barrel rib:

- G. S&W Micrometer Click Rear Sight Assembly with 1/8" (0.3 cm) White Outline or plain Rear Sight Slide
- H. 1/8" (0.3 cm) White Outline Rear Sight Slide
- I. 1/8" (0.3 cm) Rear Sight Slide
- J. Fully adjustable rear sight assembly for Model 39 and Model 59 semiautomatic pistols. Available only as an accessory. Simple installation instructions included. White outline not available.


*Target front sights C-F are available only on new gun orders or for installation on guns returned to our Service Center. Only Patridge and Baughman front sights (with or without ramp) are available for sale as separate accessory parts.



New target stocks for K frame round butt revolvers featuring the special "speed-loading" recess. Available in all three wood configurations.



Square butt target stocks for both round and square butt J (small) frame revolvers. Available in all three wood configurations.



"Banana" style target stocks for round butt J frame revolvers. Available in all three wood configurations.



Target Assemblies

Hammer: S&W target hammer assemblies are available for both large (N) and medium (K) frame revolvers. Their low, full 1/2-inch (1.3 cm) wide, deeply checked spurs provide superb nonslip thumb control for single action timed and rapid fire.

Trigger: With finger areas swaged to the maximum possible width, S & W target trigger assemblies provide greater "feel" and minimize trigger pull effort for shooting ease and accuracy. N and K frame triggers are a full 1/2-inch (1.3 cm) wide and J frame triggers are .400 inch (1.0 cm). Smooth 3/8-inch (0.95 cm) combat triggers are available for both K and N frame revolvers.

S & W target hammers and triggers are only available in traditional color case hardened finish and not in stainless steel.

Miscellaneous Accessories

- ☐ Adjustable Olympic counterweights for Model 41.
- ☐ Counterweights for Model 52.
- ☐ Extra magazines for Models 39, 41, 52 and 59.
- ☐ 7-inch (17.8 cm) barrel, complete with sights for Model 41.
- ☐ 5 1/2-inch (14.0 cm) heavy barrel, complete with sights, for Model 41.
- ☐ Oversize trigger guard for Model 41.
- ☐ .22 Magnum chamber insert for use with .22 Long Rifle rim fire cartridges in Model 53.
- ☐ K-38 Single Action Kit.
- ☐ Halfmoon clip for .45 A.C.P. cartridges.
- ☐ Cleaning rod (long or short).
- ☐ Wire brush (for .22, .38 or .45 calibers).
- ☐ Wool swab (for .22, .38 or .45 calibers).
- ☐ Sight-adjusting screwdriver.
- ☐ Grip adapter (small, medium or large frame revolvers).
- ☐ .22 L.R. auxiliary cylinder for Models 48, 51 and 53, factory installed and tested.
- ☐ Presentation Cases are available for all large frame revolvers with target sights.
- ☐ Butt Swivel with pin. (Blue or nickel)

Engraving



Class B



Custom



Class C



Class A

The distinctive beauty of Smith & Wesson engraving is available on any handgun model. Each engraving is a unique, original work of art, created and executed by skilled artisans.

Illustrated are examples of the various classes of engraving available. Class A engraving provides full coverage over the whole gun. Class B provides 2/3 coverage and Class C 1/3 coverage.

Also shown is an example of custom engraving that goes beyond Class A coverage. Virtually any type of custom design, from two or three initials, to duplicates of seals or emblems, to profuse inlaying with silver, gold or platinum can be provided by Smith & Wesson engravers. Quotation upon request.



Smith & Wesson

a BANGOR PUNTA Company

2100 Roosevelt Avenue
Springfield, Massachusetts 01101
Telephone (413) 781-8300
TELEX 95-5465, CABLE-WESSON SPM